

Speed Validation Report

Client: Renton, WA

Validation Dates and Locations:

January 14, 2026

- RW05 - N/B EDMONDS AVE N/E @ MCKNIGHT MIDDLE SCHOOL
- RW06 - S/B EDMONDS AVE N/E @ MCKNIGHT MIDDLE SCHOOL

January 16, 2026

- RW09 - NB TALBOT RD @ TALBOT HILL ELEMENTARY SCHOOL
- RW10 - SB TALBOT RD @ TALBOT HILL ELEMENTARY SCHOOL

January 22, 2026

- RW14 - NB 116TH AVE SE @ BENSON HILL ELEMENTARY SCHOOL
- RW15 - NB 116TH AVE SE/EDMONDS AVE SE @ CASCADE ELEMENTARY SCHOOL
- RW16 - SB 116TH AVE SE/EDMONDS AVE SE @ CASCADE ELEMENTARY SCHOOL
 - o Radar Serial Number: 590-113/64009
- RW17 - NB UNION AVE NE @ HONEY DEW ELEMENTARY SCHOOL
- RW18 - SB UNION AVE NE @ HONEY DEW ELEMENTARY SCHOOL
- RW29 - NB 144TH AVE SE @ MAPLEWOOD HEIGHTS ELEMENTARY
 - o Radar Serial Number: 590-113/61221
- RW30 - SB 144TH AVE SE @ MAPLEWOOD HEIGHTS ELEMENTARY
 - o Radar Serial Number: 590-113/68417

Sites unable to validate:

- RW13 - SB 116TH AVE SE @ BENSON HILL ELEMENTARY SCHOOL - **DISABLED**

Equipment:

Kustom Pro-Lite Lidar Serial Number: LP05509

Certification Date: October 9th, 2025

Kustom Pro-Lite Lidar Serial Number: TS007827

Certification Date: January 6th, 2026

Technicians:

Lidar Operator: Charles Goodrich

Lidar Operator: Lindsay Quichocho

Lidar Operator: Ken Sanford

RLC Operator: Maria Hernandez

RLC Operator: Tracy Pepper

A speed validation test was conducted for the sites listed above. The Lidar Operator obtained measurements with a minimum of 5 vehicles per location and detection system in the ascending and/or descending direction. Those speeds were obtained using a Kustom Pro-Lite Lidar instrument. The speed of the vehicle is captured by the Lidar Operator and then relayed via cellular to the RLC Technician. The RLC Technician is monitoring the vehicle speed at the Fixed Speed Camera system simultaneously to ensure the accuracy of the system.

I, Maria Hernandez, certify that the information contained in this report is true and accurate.

Maria Hernandez

Date: February 23, 2026

Verra Mobility

Maria Hernandez, Speed Validation Technician

Speed Integrity Team

Certificate of Achievement

Speed Integrity Technician

Has successfully completed the 16 hour course for
Speed Integrity Technician

This course encompasses all the necessary tasks required to perform the duties as a Speed Integrity Technician. Through this course each participant is required to display the proper competency through written and practical examinations. In addition, this course certifies each participants as a Lidar operator.

Presented to: Charles Goodrich

This Day: March 29, 2016



Matthew Gioia
Police Traffic Laser/Radar Instructor

RDLD Certificate of Achievement V1.0

American Traffic Solutions, Inc., 7681 East Gray Road, Scottsdale, AZ 85260

Certificate # RDLD-0613-CHI-01

Certificate of Achievement

Speed Integrity Technician

Has successfully completed the training course for
Speed Integrity Technician

This course encompasses all the necessary tasks required to perform the duties as a Speed Integrity Technician. Through this course each participant is required to display the proper competency through written and practical examinations. In addition, the course certifies each participant as a Lidar Operator

Presented to: Lindsay Quichocho

This Day: 10/17/2025



Douglas Trujillo
Police Traffic Laser/Radar Instructor

Certificate of Achievement

Speed Integrity Technician

Has successfully completed the training course for
Speed Integrity Technician

This course encompasses all the necessary tasks required to perform the duties as a Speed Integrity Technician. Through this course each participant is required to display the proper competency through written and practical examinations. In addition, the course certifies each participant as a Lidar Operator

Presented to: Ken Sanford

This Day: 1/18/2024



Doug Trujillo
Doug Trujillo
Police Traffic Laser/Radar Instructor

Certificate of Achievement

Speed Integrity Technician

Has successfully completed the course for Speed Integrity Technician

This course encompasses all the necessary tasks required to perform the duties as a Speed Integrity Technician. Through this course each participant is required to display the proper competencies in Radar and Laser Technology. In addition, this course certifies each participants as a Lidar operator.

Presented to: Maria Hernandez

This Day: 11/22/2024



Jason Lang
Jason Lang
Police Traffic Laser/Radar Instructor

Certificate of Achievement

Speed Integrity Technician

Has successfully completed the course for Speed Integrity Technician

This course encompasses all the necessary tasks required to perform the duties as a Speed Integrity Technician. Through this course each participant is required to display the proper competencies in Radar and Laser Technology. In addition, this course certifies each participants as a Lidar operator.

Presented to: Tracy Pepper

This Day: 2/14/2025



Jason Lang

Jason Lang
Police Traffic Laser/Radar Instructor

PB Electronics Inc.
248 W Peaceful Ct., Shepherdsville, KY 40165
502 543-7032 www.pbelectronics.com
Factory Authorized Calibration Center for Stalker, MPH, Kustom, and LTI

Certificate of Calibration

Manufacturer: LTI

Model: TruSpeed


Serial Number: TS007827

I hereby certify that this Speed Measuring Device has been checked for accuracy and correctness of operation under my supervision. This Speed Measuring Device is certified accurately within +/- 0.5 mph in stationary mode using equipment traceable to National Institute of Standards and technology.

The laser transmitter of this device has been tested and found to be within specified range for Laser Devices as established by the Federal Communications Commission and IACP.

FCC License number PG-18-12552

Technician Signature



Date: January 6, 2026

PB Electronics Inc.

248 W Peaceful Ct., Shepherdsville, KY 40165

502 543-7032 www.pbelectronics.com

Factory Authorized Calibration Center for Stalker, MPH, Kustom, Decatur and LTI

Certificate of Calibration

Manufacturer: KUSTOM

Model: PROLITE

Serial Number: LP05509

I hereby certify that this Speed Measuring Device has been checked for accuracy and correctness of operation under my supervision. This Speed Measuring Device is certified accurately within +/- 0.5 mph in stationary mode using equipment traceable to National Institute of Standards and technology.

This device has been tested and found to be within specified range for Lidar Devices as established by the Federal Communications Commission and IACP.

FCC License number PG-18-12552

Technician Signature _____



Date: OCT 9, 2025



SELF-ACCURACY TEST
Kustom Pro-Lite Lidar Speed Measurement Tool

DATE: _____ January 14, 2026 _____

Start of shift "Self-Diagnostic test" time: _____ 11:51 AM _____

Start of shift Distance check: _____ 100' _____ lidar

End of shift "Self-Diagnostic test" time: _____ 12:05 PM _____

End of shift Distance check: _____ 100' _____

City and State: _____ Renton, WA _____

Lidar Serial Number: _____ LP05509 _____

Certification Date: _____ October 9, 2025 _____

OPERATOR: _____ Charles Goodrich _____

I, *Charles Goodrich*, certify that the Kustom Pro-Lite Lidar speed measurement device was setup, tested, and operated in accordance with the manufactures specifications to include its self-diagnostic check.

Further, I certified that the self-check distance was completed and accurate.

Signature: 

Date: January 14, 2025



SELF-ACCURACY TEST
Kustom Pro-Lite Lidar Speed Measurement Tool

DATE: _____ January 16, 2026 _____

Start of shift "Self-Diagnostic test" time: _____ 1:37 PM _____

Start of shift Distance check: _____ 100' _____ lidar

End of shift "Self-Diagnostic test" time: _____ 1:57 PM _____

End of shift Distance check: _____ 100' _____

City and State: _____ Renton, WA _____

Lidar Serial Number: _____ LP03126 _____

Certification Date: _____ November 7, 2025 _____

OPERATOR: _____ Lindsay Quichocho _____

I, *Lindsay Quichocho* certify that the Kustom Pro-Lite Lidar speed measurement device was setup, tested, and operated in accordance with the manufacturers specifications to include its self-diagnostic check.

Further, I certified that the self-check distance was completed and accurate.

Signature: *Lindsay Quichocho*

Date: January 16, 2026

**SELF-ACCURACY TEST****DATE:** _____ January 22, 2026 _____**Start of shift "Self-Diagnostic test" time:** _____ 1:21 PM _____**Start of shift Distance check:** _____ 100' _____ lidar**End of shift "Self-Diagnostic test" time:** _____ 2:30 PM _____**End of shift Distance check:** _____ 100' _____**City and State:** _____ Renton, WA _____**Lidar Serial Number:** _____ TS007827 _____**Certification Date:** _____ January 6, 2026 _____**OPERATOR:** _____ Kenny Sanford _____

I, *Ken Sanford*, certify that the Kustom Pro-Lite Lidar speed measurement device was setup, tested, and operated in accordance with the manufactures specifications to include its self-diagnostic check.

Further, I certified that the self-check distance was completed and accurate.

Signature: *Ken Sanford***Date:** January 22, 2026



Speed Validation Worksheet

Date	1/14/2026
Time	11:57 AM
Site ID	RW05
Location (City, State)	Renton, WA
Address	N/B EDMONDS AVE N/E @ MCKNIGHT MIDDLE SCHOOL
Posted Speed Limit	20MPH
Trigger Speed Limit	26MPH
Fixed Speed, Park, or School	School
Lidar Technician	Charles Goodrich
Radar Technician	Tracy Pepper
Lidar Serial Number	LP05509
Radar Serial Number	N/A
Detection Type	PLP
Pico Readings	Yes
Photo Enforcement Signs Present	Yes
Pass or Fail	Pass
Ascending or Descending	Descending

Hardwire Lane	City Lane	Times	Lidar Speeds	System Speeds	Delta	Comments
0	1	57.35	33	33	0	
0	1	58.54	25	25	0	
0	1	59.23	39	39	0	
0	1	0.29	20	20	0	
0	1	0.34	30	31	1	



Speed Validation Worksheet

Date	1/14/2026
Time	11:56 AM
Site ID	RW06
Location (City, State)	Renton, WA
Address	S/B EDMONDS AVE N/E @ MCKNIGHT MIDDLE SCHOOL
Posted Speed Limit	20MPH
Trigger Speed Limit	26MPH
Fixed Speed, Park, or School	School
Lidar Technician	Charles Goodrich
Radar Technician	Tracy Pepper
Lidar Serial Number	LP05509
Radar Serial Number	N/A
Detection Type	PLP
Pico Readings	Yes
Photo Enforcement Signs Present	Yes
Pass or Fail	Pass
Ascending or Descending	Descending

Hardwire Lane	City Lane	Times	Lidar Speeds	System Speeds	Delta	Comments
1	1	56.26	31	32	1	
1	1	56.31	35	36	1	
1	1	56.42	21	22	1	
1	1	57.17	25	26	1	
1	1	57.23	26	27	1	



Speed Validation Worksheet

Date	1/16/2026					
Time	1:42 PM					
Site ID	RW09					
Location (City, State)	Renton, WA					
Address	NB TALBOT RD @ TALBOT HILL ELEMENTARY SCHOOL					
Posted Speed Limit	20MPH					
Trigger Speed Limit	26MPH					
Fixed Speed, Park, or School	School					
Lidar Technician	Lindsay Quichocho					
Radar Technician	Tracy Pepper					
Lidar Serial Number	TS007827					
Radar Serial Number	N/A					
Detection Type	Idris					
Idris Noise Captures	Yes					
Photo Enforcement Signs Present	Yes					
Pass or Fail	Pass					
Ascending or Descending	Descending					
Hardwire Lane	City Lane	Times	Lidar Speeds	System Speeds	Delta	Comments
0	1	42.09	23	24	1	
0	1	43.06	25	26	1	
0	1	43.45	26	27	1	
0	1	44.37	22	23	1	
0	1	44.42	28	28	0	



Speed Validation Worksheet

Date	1/16/2026
Time	1:42 PM
Site ID	RW10
Location (City, State)	Renton, WA
Address	SB TALBOT RD @ TALBOT HILL ELEMENTARY SCHOOL
Posted Speed Limit	20MPH
Trigger Speed Limit	26MPH
Fixed Speed, Park, or School	School
Lidar Technician	Lindsay Quichocho
Radar Technician	Tracy Pepper
Lidar Serial Number	TS007827
Radar Serial Number	N/A
Detection Type	Idris
Idris Noise Captures	Yes
Photo Enforcement Signs Present	Yes
Pass or Fail	Pass
Ascending or Descending	Descending

Hardwire Lane	City Lane	Times	Lidar Speeds	System Speeds	Delta	Comments
2	1	42.37	22	21	-1	
2	1	47.03	17	18	1	
2	1	48.01	23	24	1	
2	1	48.20	17	17	0	
2	1	52.26	25	25	0	



Speed Validation Worksheet

Date	1/22/2026
Time	2:23 PM
Site ID	RW14
Location (City, State)	Renton, WA
Address	NB 116TH AVE SE @ BENSON HILL ELEMENTARY SCHOOL
Posted Speed Limit	20MPH
Trigger Speed Limit	26MPH
Fixed Speed, Park, or School	School
Lidar Technician	Ken Sanford
Radar Technician	Maria Hernandez
Lidar Serial Number	TS007827
Radar Serial Number	N/A
Detection Type	Idris
Idris Noise Captures	Yes
Photo Enforcement Signs Present	Yes
Pass or Fail	Pass
Ascending or Descending	Descending

Hardwire Lane	City Lane	Times	Lidar Speeds	System Speeds	Delta	Comments
0	1	23.47	32	33	1	
0	1	25.08	34	34	0	
0	1	25.24	35	34	-1	
0	1	25.30	27	27	0	
0	1	25.45	19	19	0	



Speed Validation Worksheet

Date	1/22/2026					
Time	2:14 PM					
Site ID	RW15					
Location (City, State)	Renton, WA					
Address	NB 116TH AVE SE/EDMONDS AVE SE @ CASCADE ELEMENTARY SCHOOL					
Posted Speed Limit	20MPH					
Trigger Speed Limit	26MPH					
Fixed Speed, Park, or School	School					
Lidar Technician	Ken Sanford					
Radar Technician	Maria Hernandez					
Lidar Serial Number	TS007827					
Radar Serial Number	N/A					
Detection Type	Idris					
Idris Noise Captures	Yes					
Photo Enforcement Signs Present	Yes					
Pass or Fail	Pass					
Ascending or Descending	Descending					
Hardwire Lane	City Lane	Times	Lidar Speeds	System Speeds	Delta	Comments
0	1	14.15	31	32	1	
0	1	14.24	34	34	0	
0	1	14.27	37	37	0	
0	1	14.31	34	34	0	
0	1	15.12	27	27	0	



Speed Validation Worksheet

Date	1/22/2026					
Time	2:08 PM					
Site ID	RW16					
Location (City, State)	Renton, WA					
Address	SB 116TH AVE SE/EDMONDS AVE SE @ CASCADE ELEMENTARY SCHOOL					
Posted Speed Limit	20MPH					
Trigger Speed Limit	26MPH					
Fixed Speed, Park, or School	School					
Lidar Technician	Ken Sanford					
Radar Technician	Maria Hernandez					
Lidar Serial Number	TS007827					
Radar Serial Number	590-113/64009					
Detection Type	AutoPatrol Radar					
Measure Mode Capture	Yes					
Photo Enforcement Signs Present	Yes					
Pass or Fail	Pass					
Ascending or Descending	Descending					
Hardwire Lane	City Lane	Times	Lidar Speeds	System Speeds	Delta	Comments
N/A	1	2.08.52	22	23	1	
N/A	1	2.09.08	27	27	0	
N/A	1	2.10.52	28	28	0	
N/A	1	2.11.12	28	29	1	
N/A	1	2.11.38	26	26	0	



Speed Validation Worksheet

Date	1/22/2026
Time	1:26 PM
Site ID	RW17
Location (City, State)	Renton, WA
Address	NB UNION AVE NE @ HONEY DEW ELEMENTARY SCHOOL
Posted Speed Limit	20MPH
Trigger Speed Limit	26MPH
Fixed Speed, Park, or School	School
Lidar Technician	Ken Sanford
Radar Technician	Maria Hernandez
Lidar Serial Number	TS007827
Radar Serial Number	N/A
Detection Type	Idris
Idris Noise Captures	Yes
Photo Enforcement Signs Present	Yes
Pass or Fail	Pass
Ascending or Descending	Descending

Hardwire Lane	City Lane	Times	Lidar Speeds	System Speeds	Delta	Comments
0	1	26.15	33	33	0	
0	1	26.51	30	30	0	
0	1	26.57	30	31	1	
0	1	27.11	28	28	0	
0	1	27.16	23	24	1	



Speed Validation Worksheet

Date	1/22/2026
Time	1:29 PM
Site ID	RW18
Location (City, State)	Renton, WA
Address	SB UNION AVE NE @ HONEY DEW ELEMENTARY SCHOOL
Posted Speed Limit	20MPH
Trigger Speed Limit	26MPH
Fixed Speed, Park, or School	School
Lidar Technician	Ken Sanford
Radar Technician	Maria Hernandez
Lidar Serial Number	TS007827
Radar Serial Number	N/A
Detection Type	Idris
Idris Noise Captures	Yes
Photo Enforcement Signs Present	Yes
Pass or Fail	Pass
Ascending or Descending	Descending

Hardwire Lane	City Lane	Times	Lidar Speeds	System Speeds	Delta	Comments
0	1	29.58	31	31	0	
0	1	30.09	32	32	0	
0	1	30.20	28	28	0	
0	1	30.59	27	28	1	
0	1	31.02	28	28	0	



Speed Validation Worksheet

Date	1/22/2026
Time	1:42 PM
Site ID	RW29
Location (City, State)	Renton, WA
Address	NB 144TH AVE SE @ MAPLEWOOD HEIGHTS ELEMENTARY
Posted Speed Limit	20MPH
Trigger Speed Limit	26MPH
Fixed Speed, Park, or School	School
Lidar Technician	Ken Sanford
Radar Technician	Maria Hernandez
Lidar Serial Number	TS007827
Radar Serial Number	590-113/61221
Detection Type	AutoPatrol Radar
Measure Mode Capture	Yes
Photo Enforcement Signs Present	Yes
Pass or Fail	Pass
Ascending or Descending	Descending

Hardwire Lane	City Lane	Times	Lidar Speeds	Radar Speeds	Delta	Comments
N/A	1	1.42.38	30	31	1	
N/A	1	1.45.01	26	26	0	
N/A	1	1.45.06	35	36	1	
N/A	1	1.45.47	31	31	0	
N/A	1	1.48.00	23	23	0	



Speed Validation Worksheet

Date	1/22/2026
Time	1:38 PM
Site ID	RW30
Location (City, State)	Renton, WA
Address	SB 144TH AVE SE @ MAPLEWOOD HEIGHTS ELEMENTARY
Posted Speed Limit	20MPH
Trigger Speed Limit	26MPH
Fixed Speed, Park, or School	School
Lidar Technician	Ken Sanford
Radar Technician	Maria Hernandez
Lidar Serial Number	TS007827
Radar Serial Number	590-113/68417
Detection Type	AutoPatrol Radar
Measure Mode Capture	Yes
Photo Enforcement Signs Present	Yes
Pass or Fail	Pass
Ascending or Descending	Descending

Hardwire Lane	City Lane	Times	Lidar Speeds	Radar Speeds	Delta	Comments
N/A	1	1.38.29	29	29	0	
N/A	1	1.39.15	29	30	1	
N/A	1	1.39.26	26	26	0	
N/A	1	1.39.28	26	27	1	
N/A	1	1.39.34	35	36	1	



PREVENTIVE MAINTENANCE CHECKLIST

Date & Time: 01-04-2026 10:03

Site ID: RW05

Location N/B EDMONDS AVE N/E @ MCKNIGHT MIDDLE SCHOOL

Product: Legacy

Technician Name: Thomas Yeun

See Associated Ticket:

Item	Status	Note/Action (If Status N/A, please specify)
1. Clean dirt, grime, and graffiti off enclosure and glass.		
1.1. Clean Graffiti. <i>Check physical integrity. Check paint/housing for graffiti and (or) other vandalism.</i>	Pass	
1.2. Clean Glass: <i>Clean and inspect all glass and enclosures.</i>	Pass	
1.3. Clean Enclosure (Interior): <i>Clear vents/fans of obstruction. Remove dust and dirt by vacuum/wiping.</i>	Pass	
1.4. Check Enclosure: <i>If enclosure moved during cleaning, tighten base.</i>	Pass	
2. Perform a general site inspection to include environmental and road conditions.		
2.1. PLP/Loop Loop: <i>Check for exposed or cut loop wiring, and epoxy wear and tear.</i>	Pass	
2.2. Power & Grounding: <i>Inspect all power and grounding connections.</i>	Pass	
2.3. Radar: <i>Inspect radar and cables. Visually inspect antenna.</i>	N/A	
2.4. WVDs: <i>Check for popped out pucks, visible cracks, or other noticeable damage.</i>	N/A	
3. Inspect poles, bases, and enclosures.		

3.1. Pole: <i>Check sturdiness. Check hurricane collar and confirm screws are tight.</i>	Pass	
3.2. Base: <i>Check for cracks. Ensure bolts (and latch bolt) are tight and secure inside base.</i>	Pass	
3.3. Enclosure: <i>Confirm straps are tight and secure against pole. Tighten if loose.</i>	Pass	
4. Inspect cables and connections.		
4.1. Cables: <i>Check all cables for visible wear or damage.</i>	Pass	
4.2. Connections: <i>Check for exposed wires on pole connecting to radar, camera enclosure, and strobe.</i>	Pass	

5. Take (and attach) photo of enclosure, pole, and photo enforcement sign(s) for presence and damage.

5.1. Enclosure:



5.2. Pole:



5.3. Photo Enforcement Sign(s):





PREVENTIVE MAINTENANCE CHECKLIST

Date & Time: 01-04-2026 10:01 AM

Site ID: RW06

Location S/B EDMONDS AVE N/E @ MCKNIGHT MIDDLE SCHOOL

Product: Legacy

Technician Name: Thomas Yeun

See Associated Ticket:

Item	Status	Note/Action (If Status N/A, please specify)
1. Clean dirt, grime, and graffiti off enclosure and glass.		
1.1. Clean Graffiti. <i>Check physical integrity. Check paint/housing for graffiti and (or) other vandalism.</i>	Pass	
1.2. Clean Glass: <i>Clean and inspect all glass and enclosures.</i>	Pass	
1.3. Clean Enclosure (Interior): <i>Clear vents/fans of obstruction. Remove dust and dirt by vacuum/wiping.</i>	Pass	
1.4. Check Enclosure: <i>If enclosure moved during cleaning, tighten base.</i>	Pass	
2. Perform a general site inspection to include environmental and road conditions.		
2.1. PLP/Loop Loop: <i>Check for exposed or cut loop wiring, and epoxy wear and tear.</i>	Pass	
2.2. Power & Grounding: <i>Inspect all power and grounding connections.</i>	Pass	
2.3. Radar: <i>Inspect radar and cables. Visually inspect antenna.</i>	N/A	
2.4. WVDs: <i>Check for popped out pucks, visible cracks, or other noticeable damage.</i>	N/A	
3. Inspect poles, bases, and enclosures.		

3.1. Pole: <i>Check sturdiness. Check hurricane collar and confirm screws are tight.</i>	Pass	
3.2. Base: <i>Check for cracks. Ensure bolts (and latch bolt) are tight and secure inside base.</i>	Pass	
3.3. Enclosure: <i>Confirm straps are tight and secure against pole. Tighten if loose.</i>	Pass	
4. Inspect cables and connections.		
4.1. Cables: <i>Check all cables for visible wear or damage.</i>	Pass	
4.2. Connections: <i>Check for exposed wires on pole connecting to radar, camera enclosure, and strobe.</i>	Pass	

5. Take (and attach) photo of enclosure, pole, and photo enforcement sign(s) for presence and damage.

5.1. Enclosure:



5.2. Pole:



5.3. Photo Enforcement Sign(s):





PREVENTIVE MAINTENANCE CHECKLIST

Date & Time: 01-04-2026 10:42

Site ID: RW09

Location NB TALBOT RD @ TALBOT HILL ELEMENTARY SCHOOL

Product: Legacy

Technician Name: Thomas Yuen

See Associated Ticket:

Item	Status	Note/Action (If Status N/A, please specify)
1. Clean dirt, grime, and graffiti off enclosure and glass.		
1.1. Clean Graffiti. <i>Check physical integrity. Check paint/housing for graffiti and (or) other vandalism.</i>	Pass	
1.2. Clean Glass: <i>Clean and inspect all glass and enclosures.</i>	Pass	
1.3. Clean Enclosure (Interior): <i>Clear vents/fans of obstruction. Remove dust and dirt by vacuum/wiping.</i>	Pass	
1.4. Check Enclosure: <i>If enclosure moved during cleaning, tighten base.</i>	Pass	
2. Perform a general site inspection to include environmental and road conditions.		
2.1. PLP/Loop Loop: <i>Check for exposed or cut loop wiring, and epoxy wear and tear.</i>	Pass	
2.2. Power & Grounding: <i>Inspect all power and grounding connections.</i>	Pass	
2.3. Radar: <i>Inspect radar and cables. Visually inspect antenna.</i>	N/A	
2.4. WVDs: <i>Check for popped out pucks, visible cracks, or other noticeable damage.</i>	N/A	
3. Inspect poles, bases, and enclosures.		

3.1. Pole: <i>Check sturdiness. Check hurricane collar and confirm screws are tight.</i>	Pass	
3.2. Base: <i>Check for cracks. Ensure bolts (and latch bolt) are tight and secure inside base.</i>	Pass	
3.3. Enclosure: <i>Confirm straps are tight and secure against pole. Tighten if loose.</i>	Pass	
4. Inspect cables and connections.		
4.1. Cables: <i>Check all cables for visible wear or damage.</i>	Pass	
4.2. Connections: <i>Check for exposed wires on pole connecting to radar, camera enclosure, and strobe.</i>	Pass	

5. Take (and attach) photo of enclosure, pole, and photo enforcement sign(s) for presence and damage.

5.1. Enclosure:



5.2. Pole:



5.3. Photo Enforcement Sign(s):





PREVENTIVE MAINTENANCE CHECKLIST

Date & Time: 01-04-2026 10:45

Site ID: RW10

Location SB TALBOT RD @ TALBOT HILL ELEMENTARY SCHOOL

Product: Legacy

Technician Name: Thomas Yuen

See Associated Ticket:

Item	Status	Note/Action (If Status N/A, please specify)
1. Clean dirt, grime, and graffiti off enclosure and glass.		
1.1. Clean Graffiti. <i>Check physical integrity. Check paint/housing for graffiti and (or) other vandalism.</i>	Pass	
1.2. Clean Glass: <i>Clean and inspect all glass and enclosures.</i>	Pass	
1.3. Clean Enclosure (Interior): <i>Clear vents/fans of obstruction. Remove dust and dirt by vacuum/wiping.</i>	Pass	
1.4. Check Enclosure: <i>If enclosure moved during cleaning, tighten base.</i>	Pass	
2. Perform a general site inspection to include environmental and road conditions.		
2.1. PLP/Loop Loop: <i>Check for exposed or cut loop wiring, and epoxy wear and tear.</i>	Pass	
2.2. Power & Grounding: <i>Inspect all power and grounding connections.</i>	Pass	
2.3. Radar: <i>Inspect radar and cables. Visually inspect antenna.</i>	N/A	
2.4. WVDs: <i>Check for popped out pucks, visible cracks, or other noticeable damage.</i>	N/A	
3. Inspect poles, bases, and enclosures.		

3.1. Pole: <i>Check sturdiness. Check hurricane collar and confirm screws are tight.</i>	Pass	
3.2. Base: <i>Check for cracks. Ensure bolts (and latch bolt) are tight and secure inside base.</i>	Pass	
3.3. Enclosure: <i>Confirm straps are tight and secure against pole. Tighten if loose.</i>	Pass	
4. Inspect cables and connections.		
4.1. Cables: <i>Check all cables for visible wear or damage.</i>	Pass	
4.2. Connections: <i>Check for exposed wires on pole connecting to radar, camera enclosure, and strobe.</i>	Pass	

5. Take (and attach) photo of enclosure, pole, and photo enforcement sign(s) for presence and damage.

5.1. Enclosure:



5.2. Pole:



5.3. Photo Enforcement Sign(s):





PREVENTIVE MAINTENANCE CHECKLIST

Date & Time: 01-10-2026 10:42

Site ID: RW13

Location SB 116TH AVE SE @ BENSON HILL ELEMENTARY SCHOOL

Product: Legacy

Technician Name: Thomas Yuen

See Associated Ticket:

Item	Status	Note/Action (If Status N/A, please specify)
1. Clean dirt, grime, and graffiti off enclosure and glass.		
1.1. Clean Graffiti. <i>Check physical integrity. Check paint/housing for graffiti and (or) other vandalism.</i>	Pass	
1.2. Clean Glass: <i>Clean and inspect all glass and enclosures.</i>	Pass	
1.3. Clean Enclosure (Interior): <i>Clear vents/fans of obstruction. Remove dust and dirt by vacuum/wiping.</i>	Pass	
1.4. Check Enclosure: <i>If enclosure moved during cleaning, tighten base.</i>	Pass	
2. Perform a general site inspection to include environmental and road conditions.		
2.1. PLP/Loop Loop: <i>Check for exposed or cut loop wiring, and epoxy wear and tear.</i>	Pass	
2.2. Power & Grounding: <i>Inspect all power and grounding connections.</i>	Pass	
2.3. Radar: <i>Inspect radar and cables. Visually inspect antenna.</i>	N/A	
2.4. WVDs: <i>Check for popped out pucks, visible cracks, or other noticeable damage.</i>	N/A	
3. Inspect poles, bases, and enclosures.		

3.1. Pole: <i>Check sturdiness. Check hurricane collar and confirm screws are tight.</i>	Pass	
3.2. Base: <i>Check for cracks. Ensure bolts (and latch bolt) are tight and secure inside base.</i>	Pass	
3.3. Enclosure: <i>Confirm straps are tight and secure against pole. Tighten if loose.</i>	Pass	
4. Inspect cables and connections.		
4.1. Cables: <i>Check all cables for visible wear or damage.</i>	Pass	
4.2. Connections: <i>Check for exposed wires on pole connecting to radar, camera enclosure, and strobe.</i>	Pass	

5. Take (and attach) photo of enclosure, pole, and photo enforcement sign(s) for presence and damage.

5.1. Enclosure:



5.2. Pole:



5.3. Photo Enforcement Sign(s):





PREVENTIVE MAINTENANCE CHECKLIST

Date & Time: 01-10-2026 10:49

Site ID: RW14

Location NB 116TH AVE SE @ BENSON HILL ELEMENTARY SCHOOL

Product: Legacy

Technician Name: Thomas Yuen

See Associated Ticket:

Item	Status	Note/Action (If Status N/A, please specify)
1. Clean dirt, grime, and graffiti off enclosure and glass.		
1.1. Clean Graffiti. <i>Check physical integrity. Check paint/housing for graffiti and (or) other vandalism.</i>	Pass	
1.2. Clean Glass: <i>Clean and inspect all glass and enclosures.</i>	Pass	
1.3. Clean Enclosure (Interior): <i>Clear vents/fans of obstruction. Remove dust and dirt by vacuum/wiping.</i>	Pass	
1.4. Check Enclosure: <i>If enclosure moved during cleaning, tighten base.</i>	Pass	
2. Perform a general site inspection to include environmental and road conditions.		
2.1. PLP/Loop Loop: <i>Check for exposed or cut loop wiring, and epoxy wear and tear.</i>	Pass	
2.2. Power & Grounding: <i>Inspect all power and grounding connections.</i>	Pass	
2.3. Radar: <i>Inspect radar and cables. Visually inspect antenna.</i>	N/A	
2.4. WVDs: <i>Check for popped out pucks, visible cracks, or other noticeable damage.</i>	N/A	
3. Inspect poles, bases, and enclosures.		

3.1. Pole: <i>Check sturdiness. Check hurricane collar and confirm screws are tight.</i>	Pass	
3.2. Base: <i>Check for cracks. Ensure bolts (and latch bolt) are tight and secure inside base.</i>	Pass	
3.3. Enclosure: <i>Confirm straps are tight and secure against pole. Tighten if loose.</i>	Pass	
4. Inspect cables and connections.		
4.1. Cables: <i>Check all cables for visible wear or damage.</i>	Pass	
4.2. Connections: <i>Check for exposed wires on pole connecting to radar, camera enclosure, and strobe.</i>	Pass	

5. Take (and attach) photo of enclosure, pole, and photo enforcement sign(s) for presence and damage.

5.1. Enclosure:



5.2. Pole:



5.3. Photo Enforcement Sign(s):





PREVENTIVE MAINTENANCE CHECKLIST

Date & Time: 01-10-2026 10:39

Site ID: RW15

Location NB 116TH AVE SE/EDMONDS AVE SE @ CASCADE ELEMENTARY SCHOOL

Product: Legacy

Technician Name: Thomas Yuen

See Associated Ticket:

Item	Status	Note/Action (If Status N/A, please specify)
1. Clean dirt, grime, and graffiti off enclosure and glass.		
1.1. Clean Graffiti. <i>Check physical integrity. Check paint/housing for graffiti and (or) other vandalism.</i>	Pass	
1.2. Clean Glass: <i>Clean and inspect all glass and enclosures.</i>	Pass	
1.3. Clean Enclosure (Interior): <i>Clear vents/fans of obstruction. Remove dust and dirt by vacuum/wiping.</i>	Pass	
1.4. Check Enclosure: <i>If enclosure moved during cleaning, tighten base.</i>	Pass	
2. Perform a general site inspection to include environmental and road conditions.		
2.1. PLP/Loop Loop: <i>Check for exposed or cut loop wiring, and epoxy wear and tear.</i>	Pass	
2.2. Power & Grounding: <i>Inspect all power and grounding connections.</i>	Pass	
2.3. Radar: <i>Inspect radar and cables. Visually inspect antenna.</i>	N/A	
2.4. WVDs: <i>Check for popped out pucks, visible cracks, or other noticeable damage.</i>	Pass	
3. Inspect poles, bases, and enclosures.		

3.1. Pole: <i>Check sturdiness. Check hurricane collar and confirm screws are tight.</i>	Pass	
3.2. Base: <i>Check for cracks. Ensure bolts (and latch bolt) are tight and secure inside base.</i>	Pass	
3.3. Enclosure: <i>Confirm straps are tight and secure against pole. Tighten if loose.</i>	Pass	
4. Inspect cables and connections.		
4.1. Cables: <i>Check all cables for visible wear or damage.</i>	Pass	
4.2. Connections: <i>Check for exposed wires on pole connecting to radar, camera enclosure, and strobe.</i>	Pass	

5. Take (and attach) photo of enclosure, pole, and photo enforcement sign(s) for presence and damage.

5.1. Enclosure:



5.2. Pole:



5.3. Photo Enforcement Sign(s):





PREVENTIVE MAINTENANCE CHECKLIST

Date & Time: 01-10-2026 10:37

Site ID: RW16

Location SB 116TH AVE SE/EDMONDS AVE SE @ CASCADE ELEMENTARY SCHOOL

Product: Legacy

Technician Name: Thomas Yuen

See Associated Ticket:

Item	Status	Note/Action (If Status N/A, please specify)
1. Clean dirt, grime, and graffiti off enclosure and glass.		
1.1. Clean Graffiti. <i>Check physical integrity. Check paint/housing for graffiti and (or) other vandalism.</i>	Pass	
1.2. Clean Glass: <i>Clean and inspect all glass and enclosures.</i>	Pass	
1.3. Clean Enclosure (Interior): <i>Clear vents/fans of obstruction. Remove dust and dirt by vacuum/wiping.</i>	Pass	
1.4. Check Enclosure: <i>If enclosure moved during cleaning, tighten base.</i>	Pass	
2. Perform a general site inspection to include environmental and road conditions.		
2.1. PLP/Loop Loop: <i>Check for exposed or cut loop wiring, and epoxy wear and tear.</i>	Pass	
2.2. Power & Grounding: <i>Inspect all power and grounding connections.</i>	Pass	
2.3. Radar: <i>Inspect radar and cables. Visually inspect antenna.</i>	N/A	
2.4. WVDs: <i>Check for popped out pucks, visible cracks, or other noticeable damage.</i>	N/A	
3. Inspect poles, bases, and enclosures.		

3.1. Pole: <i>Check sturdiness. Check hurricane collar and confirm screws are tight.</i>	Pass	
3.2. Base: <i>Check for cracks. Ensure bolts (and latch bolt) are tight and secure inside base.</i>	Pass	
3.3. Enclosure: <i>Confirm straps are tight and secure against pole. Tighten if loose.</i>	Pass	
4. Inspect cables and connections.		
4.1. Cables: <i>Check all cables for visible wear or damage.</i>	Pass	
4.2. Connections: <i>Check for exposed wires on pole connecting to radar, camera enclosure, and strobe.</i>	Pass	

5. Take (and attach) photo of enclosure, pole, and photo enforcement sign(s) for presence and damage.

5.1. Enclosure:



5.2. Pole:



5.3. Photo Enforcement Sign(s):





PREVENTIVE MAINTENANCE CHECKLIST

Date & Time: 01-04-2026 10:08

Site ID: RW17

Location NB UNION AVE NE @ HONEY DEW ELEMENTARY SCHOOL

Product: Legacy

Technician Name: Thomas Yeun

See Associated Ticket:

Item	Status	Note/Action (If Status N/A, please specify)
1. Clean dirt, grime, and graffiti off enclosure and glass.		
1.1. Clean Graffiti. <i>Check physical integrity. Check paint/housing for graffiti and (or) other vandalism.</i>	Pass	
1.2. Clean Glass: <i>Clean and inspect all glass and enclosures.</i>	Pass	
1.3. Clean Enclosure (Interior): <i>Clear vents/fans of obstruction. Remove dust and dirt by vacuum/wiping.</i>	Pass	
1.4. Check Enclosure: <i>If enclosure moved during cleaning, tighten base.</i>	Pass	
2. Perform a general site inspection to include environmental and road conditions.		
2.1. PLP/Loop Loop: <i>Check for exposed or cut loop wiring, and epoxy wear and tear.</i>	Pass	
2.2. Power & Grounding: <i>Inspect all power and grounding connections.</i>	Pass	
2.3. Radar: <i>Inspect radar and cables. Visually inspect antenna.</i>	N/A	
2.4. WVDs: <i>Check for popped out pucks, visible cracks, or other noticeable damage.</i>	N/A	
3. Inspect poles, bases, and enclosures.		

3.1. Pole: <i>Check sturdiness. Check hurricane collar and confirm screws are tight.</i>	Pass	
3.2. Base: <i>Check for cracks. Ensure bolts (and latch bolt) are tight and secure inside base.</i>	Pass	
3.3. Enclosure: <i>Confirm straps are tight and secure against pole. Tighten if loose.</i>	Pass	
4. Inspect cables and connections.		
4.1. Cables: <i>Check all cables for visible wear or damage.</i>	Pass	
4.2. Connections: <i>Check for exposed wires on pole connecting to radar, camera enclosure, and strobe.</i>	Pass	

5. Take (and attach) photo of enclosure, pole, and photo enforcement sign(s) for presence and damage.

5.1. Enclosure:



5.2. Pole:



5.3. Photo Enforcement Sign(s):





PREVENTIVE MAINTENANCE CHECKLIST

Date & Time: 01-04-2026 10:08

Site ID: RW18

Location SB UNION AVE NE @ HONEY DEW ELEMENTARY SCHOOL

Product: Legacy

Technician Name: Thomas Yeun

See Associated Ticket:

Item	Status	Note/Action (If Status N/A, please specify)
1. Clean dirt, grime, and graffiti off enclosure and glass.		
1.1. Clean Graffiti. <i>Check physical integrity. Check paint/housing for graffiti and (or) other vandalism.</i>	Pass	
1.2. Clean Glass: <i>Clean and inspect all glass and enclosures.</i>	Pass	
1.3. Clean Enclosure (Interior): <i>Clear vents/fans of obstruction. Remove dust and dirt by vacuum/wiping.</i>	Pass	
1.4. Check Enclosure: <i>If enclosure moved during cleaning, tighten base.</i>	Pass	
2. Perform a general site inspection to include environmental and road conditions.		
2.1. PLP/Loop Loop: <i>Check for exposed or cut loop wiring, and epoxy wear and tear.</i>	Pass	
2.2. Power & Grounding: <i>Inspect all power and grounding connections.</i>	Pass	
2.3. Radar: <i>Inspect radar and cables. Visually inspect antenna.</i>	N/A	
2.4. WVDs: <i>Check for popped out pucks, visible cracks, or other noticeable damage.</i>	N/A	
3. Inspect poles, bases, and enclosures.		

3.1. Pole: <i>Check sturdiness. Check hurricane collar and confirm screws are tight.</i>	Pass	
3.2. Base: <i>Check for cracks. Ensure bolts (and latch bolt) are tight and secure inside base.</i>	Pass	
3.3. Enclosure: <i>Confirm straps are tight and secure against pole. Tighten if loose.</i>	Pass	
4. Inspect cables and connections.		
4.1. Cables: <i>Check all cables for visible wear or damage.</i>	Pass	
4.2. Connections: <i>Check for exposed wires on pole connecting to radar, camera enclosure, and strobe.</i>	Pass	

5. Take (and attach) photo of enclosure, pole, and photo enforcement sign(s) for presence and damage.

5.1. Enclosure:



5.2. Pole:



5.3. Photo Enforcement Sign(s):





PREVENTIVE MAINTENANCE CHECKLIST

Date & Time: 01-04-2026 10:25

Site ID: RW29

Location NB 144TH AVE SE @ MAPLEWOOD HEIGHTS ELEMENTARY

Product: AP

Technician Name: Thomas Yeun

See Associated Ticket:

Item	Status	Note/Action (If Status N/A, please specify)
1. Clean dirt, grime, and graffiti off enclosure and glass.		
1.1. Clean Graffiti. <i>Check physical integrity. Check paint/housing for graffiti and (or) other vandalism.</i>	Pass	
1.2. Clean Glass: <i>Clean and inspect all glass and enclosures.</i>	Pass	
1.3. Clean Enclosure (Interior): <i>Clear vents/fans of obstruction. Remove dust and dirt by vacuum/wiping.</i>	Pass	
1.4. Check Enclosure: <i>If enclosure moved during cleaning, tighten base.</i>	Pass	
2. Perform a general site inspection to include environmental and road conditions.		
2.1. PLP/Loop Loop: <i>Check for exposed or cut loop wiring, and epoxy wear and tear.</i>	N/A	
2.2. Power & Grounding: <i>Inspect all power and grounding connections.</i>	Pass	
2.3. Radar: <i>Inspect radar and cables. Visually inspect antenna.</i>	Pass	
2.4. WVDs: <i>Check for popped out pucks, visible cracks, or other noticeable damage.</i>	N/A	
3. Inspect poles, bases, and enclosures.		

3.1. Pole: <i>Check sturdiness. Check hurricane collar and confirm screws are tight.</i>	Pass	
3.2. Base: <i>Check for cracks. Ensure bolts (and latch bolt) are tight and secure inside base.</i>	Pass	
3.3. Enclosure: <i>Confirm straps are tight and secure against pole. Tighten if loose.</i>	Pass	
4. Inspect cables and connections.		
4.1. Cables: <i>Check all cables for visible wear or damage.</i>	Pass	
4.2. Connections: <i>Check for exposed wires on pole connecting to radar, camera enclosure, and strobe.</i>	Pass	

5. Take (and attach) photo of enclosure, pole, and photo enforcement sign(s) for presence and damage.

5.1. Enclosure:



5.2. Pole:



5.3. Photo Enforcement Sign(s):





PREVENTIVE MAINTENANCE CHECKLIST

Date & Time: 01-04-2026 10:18 AM

Site ID: RW30

Location SB 144TH AVE SE @ MAPLEWOOD HEIGHTS ELEMENTARY

Product: AP

Technician Name: Thomas Yeun

See Associated Ticket:

Item	Status	Note/Action (If Status N/A, please specify)
1. Clean dirt, grime, and graffiti off enclosure and glass.		
1.1. Clean Graffiti. <i>Check physical integrity. Check paint/housing for graffiti and (or) other vandalism.</i>	Pass	
1.2. Clean Glass: <i>Clean and inspect all glass and enclosures.</i>	Pass	
1.3. Clean Enclosure (Interior): <i>Clear vents/fans of obstruction. Remove dust and dirt by vacuum/wiping.</i>	Pass	
1.4. Check Enclosure: <i>If enclosure moved during cleaning, tighten base.</i>	Pass	
2. Perform a general site inspection to include environmental and road conditions.		
2.1. PLP/Loop Loop: <i>Check for exposed or cut loop wiring, and epoxy wear and tear.</i>	N/A	
2.2. Power & Grounding: <i>Inspect all power and grounding connections.</i>	Pass	
2.3. Radar: <i>Inspect radar and cables. Visually inspect antenna.</i>	Pass	
2.4. WVDs: <i>Check for popped out pucks, visible cracks, or other noticeable damage.</i>	N/A	
3. Inspect poles, bases, and enclosures.		

3.1. Pole: <i>Check sturdiness. Check hurricane collar and confirm screws are tight.</i>	Pass	
3.2. Base: <i>Check for cracks. Ensure bolts (and latch bolt) are tight and secure inside base.</i>	Pass	
3.3. Enclosure: <i>Confirm straps are tight and secure against pole. Tighten if loose.</i>	Pass	
4. Inspect cables and connections.		
4.1. Cables: <i>Check all cables for visible wear or damage.</i>	Pass	
4.2. Connections: <i>Check for exposed wires on pole connecting to radar, camera enclosure, and strobe.</i>	Pass	

5. Take (and attach) photo of enclosure, pole, and photo enforcement sign(s) for presence and damage.

5.1. Enclosure:



5.2. Pole:



5.3. Photo Enforcement Sign(s):





Report No.: 1910-071EA

Revision: N/C

**Radar Sensor Calibration Verification
Certificate of Calibration**

Model: RRS24F-ST3

**Part Number / Serial Number:
590-113 / 61221
Ex. 590-XXX / 6XXXX**

**Description:
Radar Characteristics Validation
In compliance with:
RRS24F-ST3 Radar Sensor Calibration Verification Procedure Documentation (5030-0150)**

Date of Issue: May 22, 2025

**Owner of EUT: Verra Mobility
1150 N. Alma School Rd
Mesa, AZ 85201**

**Attention of: Engineering Department
Phone: (480) 443-7000**

Test Facility	
Test Laboratory	Applus+ Keystone
Address	131 North Columbus Innerbelt
City, State, Zip Code	New Castle, PA 16101
Email	questions@keystonecompliance.com
Web Site	www.keystonecompliance.com

Test Personnel	
Name	Mathew Santiago
Title	EMC Test Engineer
Signature	

**Radar Sensor Calibration Verification
Certificate of Calibration**

Model: RRS24F-ST3

Part Number / Serial Number:

590-113 / 61221

Ex. 590-XXX / 6XXXX

Date of Issue: May 22, 2025

The frequency measurements performed and recorded within this report demonstrate that the JENOPTIK RR24F-ST3 radar has an accuracy of less than or equal to 0.62 mph in the range of 6.21 mph to 62.14 mph and an accuracy of 0.62 mph to 1.86 mph in the range of 62.14 mph to 186.41 mph. This is equal to or better than +/- 1 mph accuracy up to 100 mph, as specified by the manufacturer.

FSK Frequency Set 1					
Nominal Frequency (GHz)	Measured Frequency (GHz)	Amplitude (dBm)	Frequency Deviation (MHz)	Limit (MHz)	Results
f ₀ = 24.08	24.0786	15.6038297	-1.40	+/- 48.2	PASS
f ₁ = 24.08725	24.08575	15.9764444	-1.50	+/- 48.2	PASS
f ₂ = 24.089	24.0877	17.1870754	-1.30	+/- 48.2	PASS
f ₃ = 24.09	24.088675	17.509436	-1.33	+/- 48.2	PASS

FSK Frequency Set 2					
Nominal Frequency (GHz)	Measured Frequency (GHz)	Amplitude (dBm)	Frequency Deviation (MHz)	Limit (MHz)	Results
f ₀ = 24.12	24.118575	15.1722461	-1.43	+/- 48.2	PASS
f ₁ = 24.12725	24.125725	15.1858565	-1.53	+/- 48.2	PASS
f ₂ = 24.129	24.127675	16.0524865	-1.33	+/- 48.2	PASS
f ₃ = 24.13	24.12865	16.3758464	-1.35	+/- 48.2	PASS

FSK Frequency Set 3					
Nominal Frequency (GHz)	Measured Frequency (GHz)	Amplitude (dBm)	Frequency Deviation (MHz)	Limit (MHz)	Results
f ₀ = 24.16	24.158225	15.2866386	-1.77	+/- 48.2	PASS
f ₁ = 24.16725	24.1657	15.6562447	-1.55	+/- 48.2	PASS
f ₂ = 24.169	24.167325	16.9888736	-1.67	+/- 48.2	PASS
f ₃ = 24.17	24.1683	17.190233	-1.70	+/- 48.2	PASS



Report No.: 1910-071EA

Revision: N/C

**Radar Sensor Calibration Verification
Certificate of Calibration**

Model: RRS24F-ST3

**Part Number / Serial Number:
590-113 / 64009
Ex. 590-XXX / 6XXXX**

**Description:
Radar Characteristics Validation
In compliance with:
RRS24F-ST3 Radar Sensor Calibration Verification Procedure Documentation (5030-0150)**

Date of Issue: August 19, 2025

Owner of EUT: Verra Mobility
1150 N. Alma School Rd
Mesa, AZ 85201

Attention of: Engineering Department
Phone: (480) 443-7000

Test Facility	
Test Laboratory	Applus+ Keystone
Address	131 North Columbus Innerbelt
City, State, Zip Code	New Castle, PA 16101
Email	questions@keystonecompliance.com
Web Site	www.keystonecompliance.com

Test Personnel	
Name	Mathew Santiago
Title	EMC Test Engineer
Signature	

**Radar Sensor Calibration Verification
Certificate of Calibration**

Model: RRS24F-ST3

Part Number / Serial Number:

590-113 / 64009

Ex. 590-XXX / 6XXXX

Date of Issue: August 19, 2025

The frequency measurements performed and recorded within this report demonstrate that the JENOPTIK RR24F-ST3 radar has an accuracy of less than or equal to 0.62 mph in the range of 6.21 mph to 62.14 mph and an accuracy of 0.62 mph to 1.86 mph in the range of 62.14 mph to 186.41 mph. This is equal to or better than +/- 1 mph accuracy up to 100 mph, as specified by the manufacturer.

FSK Frequency Set 1

Nominal Frequency (GHz)	Measured Frequency (GHz)	Amplitude (dBm)	Frequency Deviation (MHz)	Limit (MHz)	Results
$f_0 = 24.08$	24.078275	14.5008297	-1.72	+/- 48.2	PASS
$f_1 = 24.08725$	24.085425	14.9574444	-1.83	+/- 48.2	PASS
$f_2 = 24.089$	24.08705	16.1280754	-1.95	+/- 48.2	PASS
$f_3 = 24.09$	24.08835	16.404436	-1.65	+/- 48.2	PASS

FSK Frequency Set 2

Nominal Frequency (GHz)	Measured Frequency (GHz)	Amplitude (dBm)	Frequency Deviation (MHz)	Limit (MHz)	Results
$f_0 = 24.12$	24.118575	13.2352461	-1.43	+/- 48.2	PASS
$f_1 = 24.12725$	24.12605	13.2038565	-1.20	+/- 48.2	PASS
$f_2 = 24.129$	24.127675	14.1774865	-1.33	+/- 48.2	PASS
$f_3 = 24.13$	24.12865	14.1898464	-1.35	+/- 48.2	PASS

FSK Frequency Set 3

Nominal Frequency (GHz)	Measured Frequency (GHz)	Amplitude (dBm)	Frequency Deviation (MHz)	Limit (MHz)	Results
$f_0 = 24.16$	24.15855	13.3476386	-1.45	+/- 48.2	PASS
$f_1 = 24.16725$	24.1657	13.7102447	-1.55	+/- 48.2	PASS
$f_2 = 24.169$	24.16765	14.9978736	-1.35	+/- 48.2	PASS
$f_3 = 24.17$	24.168625	15.132233	-1.38	+/- 48.2	PASS

CONTROLLED DATA

Proprietary and Confidential



Report No.: 1910-071EA

Revision: N/C

**Radar Sensor Calibration Verification
Certificate of Calibration**

Model: RRS24F-ST3

Part Number / Serial Number:

590-113 / 68417

Ex. 590-XXX / 6XXXX

Description:

Radar Characteristics Validation

In compliance with:

RRS24F-ST3 Radar Sensor Calibration Verification Procedure Documentation (5030-0150)

Date of Issue: May 22, 2025

Owner of EUT:

**Verra Mobility
1150 N. Alma School Rd
Mesa, AZ 85201**

Attention of:

**Engineering Department
Phone: (480) 443-7000**

Test Facility	
Test Laboratory	Applus+ Keystone
Address	131 North Columbus Innerbelt
City, State, Zip Code	New Castle, PA 16101
Email	questions@keystonecompliance.com
Web Site	www.keystonecompliance.com

Test Personnel	
Name	Mathew Santiago
Title	EMC Test Engineer
Signature	

**Radar Sensor Calibration Verification
Certificate of Calibration**

Model: RRS24F-ST3

Part Number / Serial Number:

590-113 / 68417

Ex. 590-XXX / 6XXXX

Date of Issue: May 22, 2025

The frequency measurements performed and recorded within this report demonstrate that the JENOPTIK RR24F-ST3 radar has an accuracy of less than or equal to 0.62 mph in the range of 6.21 mph to 62.14 mph and an accuracy of 0.62 mph to 1.86 mph in the range of 62.14 mph to 186.41 mph. This is equal to or better than +/- 1 mph accuracy up to 100 mph, as specified by the manufacturer.

FSK Frequency Set 1

Nominal Frequency (GHz)	Measured Frequency (GHz)	Amplitude (dBm)	Frequency Deviation (MHz)	Limit (MHz)	Results
$f_0 = 24.08$	24.078275	14.6968297	-1.72	+/- 48.2	PASS
$f_1 = 24.08725$	24.085425	15.1414444	-1.83	+/- 48.2	PASS
$f_2 = 24.089$	24.087375	16.5690754	-1.62	+/- 48.2	PASS
$f_3 = 24.09$	24.08835	16.592436	-1.65	+/- 48.2	PASS

FSK Frequency Set 2

Nominal Frequency (GHz)	Measured Frequency (GHz)	Amplitude (dBm)	Frequency Deviation (MHz)	Limit (MHz)	Results
$f_0 = 24.12$	24.118575	14.5892461	-1.43	+/- 48.2	PASS
$f_1 = 24.12725$	24.12605	14.4348565	-1.20	+/- 48.2	PASS
$f_2 = 24.129$	24.127675	15.5634865	-1.33	+/- 48.2	PASS
$f_3 = 24.13$	24.12865	15.6748464	-1.35	+/- 48.2	PASS

FSK Frequency Set 3

Nominal Frequency (GHz)	Measured Frequency (GHz)	Amplitude (dBm)	Frequency Deviation (MHz)	Limit (MHz)	Results
$f_0 = 24.16$	24.158875	15.2256386	-1.13	+/- 48.2	PASS
$f_1 = 24.16725$	24.166025	15.5642447	-1.22	+/- 48.2	PASS
$f_2 = 24.169$	24.167975	16.7048736	-1.03	+/- 48.2	PASS
$f_3 = 24.17$	24.16895	16.803233	-1.05	+/- 48.2	PASS

CONTROLLED DATA

Proprietary and Confidential

CERTIFICATE CONCERNING DESIGN AND CONSTRUCTION OF ELECTRONIC SPEED MEASURING DEVICES

I, Maria Hernandez, do certify under penalty of the laws of the State of Washington that the following is true and correct:

I have been employed as a technician by Verra Mobility for 1 year. I became a speed validation technician in 2024 and have over 500 hours performing speed validation tests. I am nationally certified as a RADAR and LIDAR operator. The City of Renton currently uses the AutoPatrol™ 3D radar fixed speed safety camera system, an electronic speed measuring device provided through a contract with Verra Mobility (formerly American Traffic Solutions, Inc. [“ATS”]). Part of my duties include monitoring regular testing of the AutoPatrol 3D radar fixed speed safety camera systems used by the City of Renton.


Verra Mobility contracted with the City of Renton to provide an Automated Speed Enforcement (“ASE”) system designed to record the speed of a vehicle and obtain photographs or other recorded images of the vehicle and the vehicle’s registration plate while the vehicle is traveling in excess of speed limits in certain safety zones within posted limits.

The ASE program includes the use of the AutoPatrol 3D radar fixed speed safety camera systems at the following locations within the City of Renton:


Location Code	Location Description	Lanes Monitored
RW29	NB 144TH AVE SE @ MAPLEWOOD HEIGHTS ELEMENTARY	1
RW30	SB 144TH AVE SE @ MAPLEWOOD HEIGHTS ELEMENTARY	1

The AutoPatrol 3D radar fixed speed safety camera system operates by measuring vehicle speed, as well as position relative to the radar to calculate and differentiate multiple vehicles in the radar beam. The speed of a moving vehicle is measured by Doppler radar. Doppler radar is a generally accepted technology used for measuring speed. The AutoPatrol 3D radar technology is used throughout the US and Europe as well as other countries and is approved by the Swiss national metrology institute- METAS.

The AutoPatrol 3D radar fixed speed safety camera system uses a tracking radar sensor for measuring vehicle speeds and detecting speed violations. The AutoPatrol 3D radar is aligned at a fixed angle across the road. The AutoPatrol 3D radar emits a horizontal beam over the road surface as represented by the illustration below. The tracking radar can simultaneously detect multiple vehicles and measure their speed, distance, angle and movement within the radar beam. The radar tracks multiple vehicles by reconstructing vehicle movement from the measured object speed, angle and distance values. If a vehicle passes a defined trigger line, the radar outputs the vehicle’s speed and lane information. The camera connected to the tracking radar uses this information to determine if there is a speed violation and to capture photographs showing the measured speed and lane on the databar of the captured images.



The tracking radar utilizes the Doppler Effect for speed determination. If an electromagnetic wave is emitted at a moving object, then the wave is reflected back from the moving object. The frequency of the wave received back by the radar shifts based on the speed of the moving object and its direction of travel. The tracking radar continuously determines this frequency shift of each object to calculate the object’s speed. The tracking radar consists of two receiving antennas integrated into a single radar sensor. This configuration allows the radar to measure the distance and angle of the vehicle relative to the position of the radar sensor. Illustration A and B show the measurement principle in simplified form. The radar sensor emits a radar beam (illustration A). The radar beam is reflected by the vehicle (illustration B). The two receivers receive the reflected radar beam. The radar sensor evaluates the return frequency, as well as the phase difference of the reflected radar beam from both of the receivers. With the aid of these values the radar sensor calculates the vehicle position.



Prior to operation each day, the system performs a system self-test. This self-test performs an electronic tuning fork test to produce a specific frequency and returns an associated speed value. Only if the return value meets the acceptance criteria to show that the system is operating correctly will the system enter measure mode. Unless a self-test is successful, the system will not enter measure mode and no violations will be captured. Additional information stored as metadata within each image includes coordinates of the vehicle position at the time of capture. This information is extracted and utilized through a secondary speed verification process to provide yet another means to validate offender speed and position based on the two images obtained and image analytics. In addition to the internal system checks and the manufacturer calibration certification, the 3D radar system is subject to routine and independent calibration check of the speeds produced by the system at least annually by a qualified technician.

Each day the computer which controls the fixed speed safety camera system is rebooted. The reboot is initiated each day and each time the computer is rebooted an internal check is performed on all operations of each fixed speed safety camera system, including the clocks, sensors, camera and speed calculating hardware and software, in order to verify that all operations are functioning correctly. When the internal check detects a

problem with one of the operations on a given fixed speed safety camera system, then that particular fixed speed safety camera system is inactivated and a request for service is relayed to Verra Mobility support personnel. This means that violations cannot be issued until any internal problem is fixed.

Speed validation tests are regularly performed on each installed and operable AutoPatrol 3D radar fixed speed safety camera system. The test is conducted by having a LIDAR Operator obtain true measurements of a minimum of 5 vehicles per location and detection system in the ascending and/or descending direction. The speed of the vehicle is captured by the LIDAR Operator and then relayed via cellular to an Verra Mobility Technician. The Verra Mobility Technician then compares the vehicle speed measured by the AutoPatrol 3D radar fixed speed safety camera system to the speed measured by the LIDAR Operator to ensure the accuracy of the AutoPatrol 3D radar fixed speed safety camera system. Verra Mobility maintains the results of each test in a Validation Report. The speed validation for each system was performed on the following date and the systems at each location were found to be in proper working order:

Location Code	Location Description	Date of Test
RW29	NB 144TH AVE SE @ MAPLEWOOD HEIGHTS ELEMENTARY	1/22/2026
RW30	SB 144TH AVE SE @ MAPLEWOOD HEIGHTS ELEMENTARY	1/22/2026

Preventative maintenance, including visual inspections, is regularly performed on the AutoPatrol 3D radar fixed speed safety camera systems. Preventative maintenance activities include: cleaning of the cameras and housing, general site inspection of environment and road conditions, inspection of poles, bases and enclosures, and inspection of system cables and connections. The location and date that preventative maintenance is performed is recorded in the Preventative Maintenance Log, which along with the Validation Report(s) referenced above, is attached hereto.

I am a custodian, or otherwise qualified witness, as to the attached records. I make this declaration based on personal knowledge, and if called and sworn as a witness, I could and would testify as set forth in the following paragraph.

Attached as Exhibits are: Exhibit A - Speed Validation Reports, Exhibit B - Preventative Maintenance Logs, and Exhibit C - Annual System Verification Certificate for all AutoPatrol 3D radar fixed speed safety camera systems installed and used by the City of Renton. All documents and materials included as Exhibit A, Exhibit B and Exhibit C are authentic and are what they purport to be, and accurately describe the matters set forth therein. All such records are business records in that they are: (1) records kept in the ordinary course of business; (2) created at or near the time of the transactions or events reflected therein by, or based on information from, a person with knowledge of the transaction or events; and (3) kept as part of a regular business activity.

Based upon my education, training, experience, and knowledge of the AutoPatrol 3D radar fixed speed safety camera system, it is my opinion that the system is so designed and constructed as to accurately employ measurement techniques based on a division of distance over time in such a manner that it will give accurate measurements of the speed of motor vehicles.

I, Maria Hernandez, certify (or declare) under penalty of perjury under the laws of the State of Washington that the foregoing is true and correct.

Dated this 23rd day of February 2026 in Mesa, AZ

Maria Hernandez

Maria Hernandez, Speed Validation Technician

**CERTIFICATE CONCERNING DESIGN AND CONSTRUCTION OF
ELECTRONIC SPEED MEASURING DEVICES**

I, Maria Hernandez, do certify under penalty of the laws of the State of Washington that the following is true and correct:

I have been employed as a technician by Verra Mobility for 1 year. I became a speed validation technician in 2024 and have over 500 hours performing speed validation tests. I am nationally certified as a Radar and LIDAR operator. The City of Renton currently uses the AXIS FS-300 fixed speed safety camera system, an electronic speed measuring device provided through a contract with Verra Mobility (formerly American Traffic Solutions, Inc. [“ATS”]). Part of my duties include monitoring regular testing of the AXIS FS-300 systems used by the City of Renton. This testing includes validating readings from the Verra Mobility speed measuring device with an independent reading from a LIDAR unit.

Verra Mobility contracted with the City of Renton to provide an Automated Speed Enforcement (“ASE”) system designed to record the speed of a vehicle and obtain photographs or other recorded images of the vehicle and the vehicle’s registration plate while the vehicle is traveling in excess of speed limits in certain safety zones within posted limits.

The ASE program uses the AXIS FS-300 fixed speed safety camera system. Verra Mobility has installed the AXIS FS-300 system at the following locations within the City of Renton:

Location Code	Location Description	Lanes Monitored
RW05	N/B EDMONDS AVE N/E @ MCKNIGHT MIDDLE SCHOOL	1
RW06	S/B EDMONDS AVE N/E @ MCKNIGHT MIDDLE SCHOOL	1
RW09	NB TALBOT RD @ TALBOT HILL ELEMENTARY SCHOOL	1
RW10	SB TALBOT RD @ TALBOT HILL ELEMENTARY SCHOOL	1
RW13	SB 116TH AVE SE @ BENSON HILL ELEMENTARY SCHOOL	1
RW14	NB 116TH AVE SE @ BENSON HILL ELEMENTARY SCHOOL	1
RW15	NB 116TH AVE SE/EDMONDS AVE SE @ CASCADE ELEMENTARY SCHOOL	1
RW16	SB 116TH AVE SE/EDMONDS AVE SE @ CASCADE ELEMENTARY SCHOOL	1
RW17	NB UNION AVE NE @ HONEY DEW ELEMENTARY SCHOOL	1
RW18	SB UNION AVE NE @ HONEY DEW ELEMENTARY SCHOOL	1

This system type has been installed, maintained, and operated nationwide since 2006.

The AXIS FS-300 system measures vehicle speed in the following manner: A pair of sensors is placed in the roadway with each sensor at a known distance from the other sensor. Each lane has its own pair of sensors. The distance between each pair of sensors in each lane is 4 feet. These sensors measure the presence of the vehicle as it passes over. As a vehicle travels over each sensor, the exact time that the vehicle passed over the sensor is recorded and relayed to a computer. The computer then calculates the time it took for a given vehicle to travel from one sensor to the other. Speed is then calculated by the computer after the vehicle has traveled over the area where the sensors are

located by using the mathematical equation of speed equaling distance divided by time. The AXIS FS-300 system does not use radar or LIDAR.

Each day the computer which controls the fixed speed camera system is rebooted. The reboot is initiated at approximately 2am each day and each time the computer is rebooted, an internal check is performed on all operations of each fixed speed camera system, including the clocks, sensors, camera and speed calculating hardware and software, in order to verify that all operations are functioning correctly. When the internal check detects a problem with one of the operations on a given fixed speed camera system, then that particular fixed speed camera system is inactivated and a request for service is relayed to Verra Mobility support personnel. This means that tickets cannot be issued until any internal problem is fixed.

Speed validation tests are regularly performed on each installed and operable AXIS FS-300 System. The test is conducted by having a LIDAR Operator obtain true measurements of a minimum of 5 vehicles per location and detection system in the ascending and/or descending direction. The speed of the vehicle is captured by the LIDAR Operator and then relayed via cellular to an AXIS FS-300 (RLC) Technician. The RLC Technician then compares the vehicle speed measured by the AXIS FS-300 system to the speed measured by the LIDAR Operator to ensure the accuracy of the AXIS FS-300 system. Verra Mobility maintains the results of each test in a Validation Report. The speed validation for each system was performed on the following date:

Location Code	Location Description	Date of Test
RW05	N/B EDMONDS AVE N/E @ MCKNIGHT MIDDLE SCHOOL	1/14/2025
RW06	S/B EDMONDS AVE N/E @ MCKNIGHT MIDDLE SCHOOL	1/14/2025
RW09	NB TALBOT RD @ TALBOT HILL ELEMENTARY SCHOOL	1/16/2025
RW10	SB TALBOT RD @ TALBOT HILL ELEMENTARY SCHOOL	1/16/2026
RW13	SB 116TH AVE SE @ BENSON HILL ELEMENTARY SCHOOL	DISABLED
RW14	NB 116TH AVE SE @ BENSON HILL ELEMENTARY SCHOOL	1/22/2026
RW15	NB 116TH AVE SE/EDMONDS AVE SE @ CASCADE ELEMENTARY SCHOOL	1/22/2026
RW16	SB 116TH AVE SE/EDMONDS AVE SE @ CASCADE ELEMENTARY SCHOOL	1/22/2026
RW17	NB UNION AVE NE @ HONEY DEW ELEMENTARY SCHOOL	1/22/2026
RW18	SB UNION AVE NE @ HONEY DEW ELEMENTARY SCHOOL	1/22/2026

Preventative maintenance, including visual inspections, is regularly performed on the AXIS FS-300 system. Preventative maintenance activities include: cleaning of the cameras and housing, general site inspection of environment and road conditions, inspection of poles, bases and enclosures, and inspection of system cables and connections. The location and date that preventative maintenance is performed is recorded in the Preventative Maintenance Log, which along with the Validation Report(s) referenced above, is attached hereto.


I am a custodian, or otherwise qualified witness, as to the attached records. I make this declaration based on personal knowledge, and if called and sworn as a witness, I could and would testify as set forth in the following paragraph.

Attached as Exhibit A are Speed Validation Reports and Exhibit B a Preventative Maintenance log for all AXSIS FS-300 systems installed and used by the City of Renton. All documents and materials included at Exhibit A and Exhibit B are authentic and are what they purport to be, and accurately describe the matters set forth therein. All such records are business records in that they are: (1) records kept in the ordinary course of business; (2) created at or near the time of the transactions or events reflected therein by, or based on information from, a person with knowledge of the transaction or events; and (3) kept as part of a regular business activity.

Based upon my education, training, experience, and knowledge of the AXSIS FS-300, it is my opinion that the system is so designed and constructed as to accurately employ measurement techniques based on a division of distance over time in such a manner that it will give accurate measurements of the speed of motor vehicles.

I, Maria Hernandez, certify (or declare) under penalty of perjury under the laws of the State of Washington that the foregoing is true and correct.

Dated this 23rd day of February 2026 in Mesa, AZ



Maria Hernandez, Speed Validation Technician